



NOTE: MD 108 IS ASSUMED TO RUN IN AN EAST-WEST DIRECTION

PROPOSED VIDEO DETECTION
I, II, III, IV, V

EXISTING SIGNS TO BE RELOCATED




EXISTING SIGNS TO BE REPLACED




EXISTING SIGNS TO BE REMOVED




PROPOSED SIGNS



PROPOSED LED SIGNALS




NEMA PHASING



PHASING NOTES:
1. PHASES ASSOCIATED BY A SOLID LINE WILL NOT OPERATE CONCURRENTLY.
2. PHASES ASSOCIATED BY A DASHED LINE WILL OPERATE CONCURRENTLY.

TO MD 175

TO US 29




CONSTRUCTION DETAILS

- (A) INSTALL 27 FT. TWIN STEEL POLE WITH 50 FT. AND 70 FT. ARMS (NOTE: 1-3 IN. SCHEDULE 80, 90 DEGREE PVC ELECTRICAL CONDUIT IN POLE BASE); BLACK FACED LED TRAFFIC SIGNAL HEADS; PEDESTRIAN PUSH BUTTON, SIGNAL HEAD AND SIGN (SIGN TO READ "PUSH BUTTON TO CROSS MD 108"); SIGNS; 20 FT. STREET LIGHTING ARM WITH 250 WATT HIGH PRESSURE SODIUM LAMP AND LUMINAIRE; CLEAN, CUT, GALVANIZED AND CAP TRAFFIC SIGNAL ARM.
- (B) INSTALL 27 FT. TWIN STEEL POLE WITH 60 FT. AND 70 FT. ARMS (NOTE: 1-3 IN. SCHEDULE 80, 90 DEGREE PVC ELECTRICAL CONDUIT IN POLE BASE); BLACK FACED LED TRAFFIC SIGNAL HEADS; 20 FT. STREET LIGHTING ARM WITH 250 WATT HIGH PRESSURE SODIUM LAMP AND LUMINAIRE; CLEAN, CUT GALVANIZED AND CAP TRAFFIC SIGNAL ARM.
- (C) INSTALL 10 FOOT PEDESTRIAN POLE, BREAKAWAY BASE SUPPORT, PUSH BUTTON, SIGNAL HEAD AND SIGN (SIGN TO READ "PUSH BUTTON TO CROSS MD 108") (NOTE: 1-3 IN. SCHEDULE 80, 90 DEGREE PVC ELECTRICAL CONDUIT ELBOW IN POLE BASE).
- (D) INSTALL NEMA SIZE 4" BASE MOUNTED CABINET AND CONTROLLER WITH CONTROLLER HARDWARE, VIDEO INTERFACE EQUIPMENT, DISCONNECT, AND METER FOUNDATION SHALL HAVE TWO 4" AND TWO 2" 90 DEGREE CONDUIT ELBOWS).
- (E) REMOVE EXISTING STEEL POLE, STRAIN WIRE, SIGNAL HEADS AND SIGN. REMOVE FOUNDATION TO 1 FOOT BELOW GRADE.
- (F) REMOVE EXISTING CONTROL CABINET AND EQUIPMENT.
- (G) REMOVE EXISTING LIGHTING POLE, FOUNDATION AND EQUIPMENT.
- (H) REMOVE EXISTING ELECTRICAL HANDHOLE.
- (J) ABANDON EXISTING ELECTRICAL HANDHOLE.
- (K) ABANDON EXISTING ELECTRICAL CONDUIT.
- (L) DISCONNECT AND ABANDON EXISTING VEHICLE DETECTOR.
- (M) INSTALL ELECTRICAL HANDHOLE.
- (N) INSTALL 4 IN. SCHEDULE 80 RIGID PVC CONDUIT- SLOTTED.
- (O) INSTALL 3 IN. SCHEDULE 80 RIGID PVC CONDUIT- TRENCHED.
- (P) INSTALL TWO (2) 4 IN. SCHEDULE 80 RIGID PVC CONDUIT- TRENCHED.
- (Q) INSTALL 2 INCH SCHEDULE 80 RIGID PVC CONDUIT- SLOTTED FOR POWER SERVICE FROM UTILITY POLE TO BGE METER ON PROPOSED EQUIPMENT CABINET.
- (R) INSTALL VIDEO DETECTION CAMERA USING PEDESTAL BRACKET TO MAST ARM.
- (S) RELOCATE EXISTING SIGN FROM EXISTING SIGNAL POLE TO PROPOSED SIGNAL POLE.
- (T) INSTALL 12 INCH WHITE LEAD FREE REFLECTIVE THERMOPLASTIC PAVEMENT MARKING FOR CROSS WALK, AS DIMENSIONED ON PLAN.
- (U) INSTALL 24 INCH WHITE LEAD FREE REFLECTIVE THERMOPLASTIC PAVEMENT MARKING FOR STOP LINE, AS DIMENSIONED ON PLAN.
- (V) HANDHOLE TO BE INSTALLED AS PART OF INTERCONNECT PLAN.
- (W) CONDUIT TO BE INSTALLED AS PART OF INTERCONNECT PLAN.
- (X) INSTALL METER SERVICE PEDESTAL.
- (Y) INSTALL 4 INCH SCHEDULE 80 RIGID PVC CONDUIT - TRENCHED.


GENERAL NOTES

1. THE CONTRACTOR MUST VERIFY THE LOCATION OF ALL PROPOSED GEOMETRICS PRIOR TO INSTALLING SIGNAL EQUIPMENT.
2. ALL UNDERGROUND AND OVERHEAD UTILITIES SHOWN ON THIS PLAN ARE SCHEMATIC ONLY AND MAY NOT BE COMPLETE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING MISS UTILITY PRIOR TO CONSTRUCTION SO THAT ALL UTILITIES MAY BE LOCATED IN THE FIELD. IF THE CONTRACTOR PERCEIVES THAT A CONFLICT BETWEEN UTILITIES AND THE TRAFFIC SIGNAL WILL OCCUR, THE CONTRACTOR SHALL NOTIFY THE PROJECT ENGINEER IMMEDIATELY SO THAT THE CONFLICT MAY BE RESOLVED.
3. SIGNAL HEADS AND MAST ARMS HAVE BEEN DESIGNED AND DIMENSIONED SO THAT PROPER MINIMUM DISTANCES ARE MAINTAINED TO OVERHEAD UTILITY LINES. CONTRACTOR SHALL ENSURE THAT ALL PROPOSED SIGNAL EQUIPMENT STAYS A MINIMUM OF 10 FT. FROM PRIMARY POWER LINES AND 5 FT. FROM SECONDARY POWER LINES.
4. SEQUENCE OF CONSTRUCTION FOR THE SIGNAL IS ADDRESSED IN THE TRAFFIC CONTROL NOTES TPO1.
5. ALL EXISTING UNUSED ELECTRICAL CABLES SHALL BE REMOVED AND DISPOSED OF BY THE CONTRACTOR.
6. ALL EQUIPMENT TO BE REMOVED SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE REMOVED FROM THE SITE AND PROPERLY DISPOSED OF.
7. SEE PS03 FOR EXACT RIGHT-OF-WAY LOCATIONS.
8. ALL TRAFFIC SIGNAL FOUNDATIONS SHALL BE INSTALLED AT THE FINAL SIDEWALK OR CURB GRADE FOR CLOSED SECTIONS. HIGHEST PROFILE GRADE FOR OPEN SECTIONS, TO MEET CLEARANCE AS SPECIFIED IN MD 816.03, MD 818.01 AND MD 818.04. THE CONTRACTOR SHALL VERIFY ULTIMATE GRADES PRIOR TO THE INSTALLATION OF ALL SIGNAL EQUIPMENT.

GEOMETRIC LEGEND



UTILITY LEGEND



REVISION D CONSULTANT

WALLACE, MONTGOMERY & ASSOCIATES, LLP
 CIVIL AND STRUCTURAL ENGINEERS
 110 West Road
 Suite 300
 Towson, Maryland 21204

APPROVALS	REVISIONS
TEAM LEADER ASST. DIV. CHIEF DIVISION CHIEF OFFICE DIRECTOR	03-25-05 REPLACE EXISTING STRAIN WIRE SIGNAL WITH MAST ARM SIGNAL DUE TO WRECKING. ADD VIDEO DETECTION AND INTERCONNECT. CONTRACT NO. M.A.A. D-21, D-22, D-23, D-24, D-25, D-26, D-27, D-28, D-29, D-30, D-31, D-32, D-33, D-34, D-35, D-36, D-37, D-38, D-39, D-40, D-41, D-42, D-43, D-44, D-45, D-46, D-47, D-48, D-49, D-50, D-51, D-52, D-53, D-54, D-55, D-56, D-57, D-58, D-59, D-60, D-61, D-62, D-63, D-64, D-65, D-66, D-67, D-68, D-69, D-70, D-71, D-72, D-73, D-74, D-75, D-76, D-77, D-78, D-79, D-80, D-81, D-82, D-83, D-84, D-85, D-86, D-87, D-88, D-89, D-90, D-91, D-92, D-93, D-94, D-95, D-96, D-97, D-98, D-99, D-100. 07-25-90 RELOCATE POLE IN SW QUADRANT. T.M.Z. 12-89 RELOCATE POLE IN NW QUADRANT, INSTALLED MARLINE LOOPS. CONTRACT NO. 693-90-777 B.T. S.R. D.A.Z. E.T.P. T.A. 12-89 RELOCATE POLE OUT TO WIDENING, S.H.A.

SHA STATE OF MARYLAND
 DEPARTMENT OF TRANSPORTATION
 STATE HIGHWAY ADMINISTRATION
 TRAFFIC ENGINEERING DESIGN DIVISION
 OFFICE OF TRAFFIC & SAFETY

MD 108 AND LARK BROWN ROAD
 SIGNAL PLAN

SG-05
 SCALE 1" = 20' DATE 7-25-90 CONTRACT NO. BW-355-802-T12

DESIGNED BY _____ TS NO. 2384 D
 DRAWN BY _____ T.I.M.S. NO. G875
 CHECKED BY _____ F.A.P. NO. _____
 COUNTY HOWARD LOGMILE 13010814.94

DRAWING NO. 5 OF 6 SHEET NO. 43 OF 49

PLOTTED: WEDNESDAY, AUGUST 24, 2005 AT 03:34 PM
 FILE: #FILE#

INDEXED

BY: BUSBY/BAW